

American Society of Safety Engineers

Professional Development Conference June 9-12, 2008



Session No. 101C

Workplace Health


C. David Langlois, CSP

Langlois, Weigand & Associates


Workplace Health



Safety – usually associated with acute injuries, short-term, traumatic exposures



Health – usually directed at chronic exposures, persistent, prolonged, repeated



Definition



Industrial Hygiene – “that science and art devoted to the anticipation, recognition, evaluation, and control of those environmental factors or stresses, arising in or from the workplace, which may cause sickness, impaired health and well-being, or significant discomfort, and inefficiency among workers or among the citizens of the community”

Environmental Stresses



Chemical – environmental concentrations

Physical – noise, heat, ionizing, etc.

Ergonomic – man-machine interface


Biological – micro living organisms

States of Matter


Solids – definite shape and volume

Liquids – definite volume but no definite shape

Gases – neither definite volume nor shape



Chemical Stresses Chart



Chemical Stresses



Dusts – solid particles from handling, grinding, crushing, impact (1-25 microns) (cotton, grain, grinding wheels)

Smoke – carbon or soot particles less than .1 microns in size and are the products of incomplete combustion (fire, gas engines)

Chemical Stresses



Fumes – solid particles generated by condensation from the gaseous state (welding, soldering, brazing)

Aerosols – solid particles or liquid droplets of fine enough size to remain dispersed in air for a prolonged period of time (powder sprays, paint sprays)

Chemical Stresses



Mists – suspended liquid droplets generated by condensation of liquids, or by breaking up a liquid into a dispersed state (mixing vats, maintenance degreasers)

Vapors – volatile form of a substance normally a liquid or solid at STP (paint thinners, nail polish remover)

Terms to Express Concentrations



TLV – threshold limit value - airborne concentration under which it is believed that nearly all workers may be repeatedly exposed day after day without adverse effect (ACGIH)

PEL – permissible exposure limit (OSHA)

Terms to Express Concentrations



TWA – time weighted average – average exposure over a workday

C – ceiling – level not to be exceeded at any time

STEL – short term exposure limit (15 minute exposure not producing harm)

Terms to Express Concentrations



REL – recommended exposure limit,
NIOSH term to designate agency's
maximum concentration

BEI – biological exposure index; advisory
levels adopted for some substances by
ACGIH based on blood, urine, or expired
air – TLV-TWA for eight hours

Terms to Express Concentrations



ppm – parts per million

mg/m³ – milligrams per cubic meter



Routes of Entry



Inhalation – breathing, most common

Ingestion – swallowing

Absorption – penetration through the skin

Injection – forcing by mechanical means

Effects of Exposure



Concentration of substance

Probability of substance to produce injury

Rate of generation of material

Control measures



Toxicity

Capacity of a material to produce injury or harm; Depends on dose, rate, method, site of entry, general health of individual, diet, temperature



Toxic Effects



Irritants – inflame surfaces of the body

Systemic poisons – attack organs or system

Depressants – affect the central nervous system

Toxic Effects



Asphyxiants – prevent oxygen from reaching body cells (simple – nitrogen; chemical – carbon monoxide)


Carcinogens – cancer causing (benzene)

Teratogens – affect the fetus (lead)

Mutagens – affect the species (radiation)

Physical Stresses

Noise



Temperature extremes



Ionizing radiation



Non-ionizing radiation




Noise



Noise – Unwanted sound

Sound – pressure variation in air or other medium, that humans can detect



Noise



Decibels – pressure related to 20
micronewtons per square meter
($20\mu\text{N}/\text{m}^2$)

Frequency – one cycle per second (hertz)

PEL – OSHA enforcement 90 dBA/ 8 hrs

Temperature Extremes



Climatic conditions

Work demands

Clothing



Radiation



Ionizing – electromagnetic or particulate radiation capable of producing ions, directly or indirectly, by interaction with matter

Non-ionizing – magnetic fields, radio-frequency/microwave, optical radiation, lasers

Ergonomics



The study of human characteristics for the appropriate design of the living and work environment

Matching the person to the task, as opposed to matching the task to the person

Ergonomic Stresses

Mental workload

Physical workload

Energy cost

Work classification

Work/rest cycles



Biological Stresses



Microorganisms – bacteria, viruses, fungi, and their products

Arthropods – crustaceans, arachnids, insects; bites and stings

Allergens and toxins from higher plants, poison ivy, poison oak

Biological Stresses



Bacteria – single-cell plants living in soil, water, organic matter, plants, or animals

Virus – microscopic agents able to live only in living cells

Biological Stresses



Fungus – parasitic lower plants including molds, mildews, mushrooms

Parasite – organism living in/on another living organism

Biological Stresses



Protein allergens from vertebrate animals;
urine, feces, hair, saliva

Current topics - OSHA bloodborne
pathogens, sick-building syndrome,
weapons of mass destruction

Industrial Hygiene Controls



Substitution


Process change

Isolation

Wet methods

Local exhaust

General ventilation



Industrial Hygiene Controls



PPE

Personal hygiene

Housekeeping

Waste disposal

Special controls

Medical controls



Conclusion



Questions

Comments

Evaluation form

References

